

L Number	Hits	Search Text	DB	Time stamp
-	0	locatat\$3 near3 portion near5 (mail or e?mail or electronic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 17:45
-	766	locat\$3 near3 portion near5 (mail or e?mail or electronic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 17:59
-	1	((locat\$3 near3 portion near5 (mail or e?mail or electronic)) and (generat\$5 or creat\$5) near3 portion near5 code	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 17:48
-	39	((locat\$3 near3 portion near5 (mail or e?mail or electronic)) and (generat\$5 or creat\$5) near5 code	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 17:50
-	147	((locat\$3 near3 portion near5 (mail or e?mail or electronic)) and (generat\$5 or creat\$5) near5 portion	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 18:00
-	1	((locat\$3 near3 portion near5 (mail or e?mail or electronic)) and (generat\$5 or creat\$5) near5 portion) and 709/206.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 17:57
-	2	((locat\$3 near3 portion near5 (mail or e?mail or electronic)) and 709/206.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 18:00
-	2389	portion near5 (mail or e?mail or electronic adj1 mail or email)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 18:09
-	266	((portion near5 (mail or e?mail or electronic adj1 mail or email)) and (generat\$5 or creat\$5) near5 portion	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 18:10
-	62	((portion near5 (mail or e?mail or electronic adj1 mail or email)) and (generat\$5 or creat\$5) near5 portion) and 709/206.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 18:10
-	32	((((portion near5 (mail or e?mail or electronic adj1 mail or email)) and (generat\$5 or creat\$5) near5 portion) and 709/206.ccls.) and (generat\$5 or creat\$5) near5 portion near5 (mail or e?mail or electronic adj1 mail or email)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 18:09
-	37	((((portion near5 (mail or e?mail or electronic adj1 mail or email)) and (generat\$5 or creat\$5) near5 portion) and 709/206.ccls.) and (generat\$5 or creat\$5) near5 portion near5 (message or mail or e?mail or electronic adj1 mail or email)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 18:09
-	15237	portion near5 (mail or e?mail or electronic adj1 mail or email or message)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 18:09

-	2142	(portion near5 (mail or e?mail or electronic adj1 mail or email or message)) and (generat\$5 or creat\$5) near5 portion	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 18:10
-	88	((portion near5 (mail or e?mail or electronic adj1 mail or email or message)) and (generat\$5 or creat\$5) near5 portion) and 709/206.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 19:19
-	88	((portion near5 (mail or e?mail or electronic adj1 mail or email or message)) and (generat\$5 or creat\$5) near5 portion) and 709/206.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 22:18
-	34	(((portion near5 (mail or e?mail or electronic adj1 mail or email or message)) and (generat\$5 or creat\$5) near5 portion) and 709/206.ccls.) and (first or second or third or sequence) near4 portion	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 19:23
-	28	(((portion near5 (mail or e?mail or electronic adj1 mail or email or message)) and (generat\$5 or creat\$5) near5 portion) and 709/206.ccls.) and (first or second or third or sequence) near2 portion	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 21:21
-	0	6549957.URPN.	USPAT	2004/02/26 19:45
-	0	6549957.URPN.	USPAT	2004/02/26 19:45
-	17	("4815030" "5150110" "5230048" "5440723" "5452442" "5485575" "5572590" "5613002" "5619648" "5634005" "5751960" "5870548" "6021427" "6178442" "6182118" "6189027" "6249805").PN.	USPAT	2004/02/26 21:15
-	17	("4815030" "5150110" "5230048" "5440723" "5452442" "5485575" "5572590" "5613002" "5619648" "5634005" "5751960" "5870548" "6021427" "6178442" "6182118" "6189027" "6249805").PN.	USPAT	2004/02/26 19:47
-	21	(((portion near5 (mail or e?mail or electronic adj1 mail or email or message)) and (generat\$5 or creat\$5) near5 portion) and 709/206.ccls.) and (first or second or third or sequence) near2 portion) and stor\$5 near5 (first or second or third or sequence or portion)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 21:21
-	21	((((portion near5 (mail or e?mail or electronic adj1 mail or email or message)) and (generat\$5 or creat\$5) near5 portion) and 709/206.ccls.) and (first or second or third or sequence) near2 portion) and stor\$5 near5 (first or second or third or sequence or portion or match\$5 or code or pattern or signature)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 21:22
-	21	((((portion near5 (mail or e?mail or electronic adj1 mail or email or message)) and (generat\$5 or creat\$5) near5 portion) and 709/206.ccls.) and (first or second or third or sequence) near2 portion) and stor\$5 near5 (first or second or third or sequence or portion or match\$5 or code or pattern or signature)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 21:30

-	2142	((portion near5 (mail or e?mail or electronic adj1 mail or email or message)) and (generat\$5 or creat\$5) near5 portion)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 21:29
-	241	(((portion near5 (mail or e?mail or electronic adj1 mail or email or message)) and (generat\$5 or creat\$5) near5 portion)) and (recogni\$5 or filter\$5 or detect\$5 or stop\$4 or identif\$6 or determin\$5) near5 (similar or "same" or resembl\$5 or match\$5) near3 (pattern or signature or message or mail or words or code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 22:31
-	13	((((portion near5 (mail or e?mail or electronic adj1 mail or email or message)) and (generat\$5 or creat\$5) near5 portion)) and (recogni\$5 or filter\$5 or detect\$5 or stop\$4 or identif\$6 or determin\$5) near5 (similar or "same" or resembl\$5 or match\$5) near3 (pattern or signature or message or mail or words or code)) and 709/206.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 21:36
-	271	(((portion near5 (mail or e?mail or electronic adj1 mail or email or message)) and (generat\$5 or creat\$5) near5 portion)) and (recogni\$5 or filter\$5 or detect\$5 or stop\$4 or identif\$6 or determin\$5) near5 (similar or "same" or resembl\$5 or match\$5 or redund\$3 or repeat\$5) near3 (pattern or signature or message or mail or words or code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 22:29
-	15	((((portion near5 (mail or e?mail or electronic adj1 mail or email or message)) and (generat\$5 or creat\$5) near5 portion)) and (recogni\$5 or filter\$5 or detect\$5 or stop\$4 or identif\$6 or determin\$5) near5 (similar or "same" or resembl\$5 or match\$5 or redund\$3 or repeat\$5) near3 (pattern or signature or message or mail or words or code)) and 709/206.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 21:36
-	28	((((portion near5 (mail or e?mail or electronic adj1 mail or email or message)) and (generat\$5 or creat\$5) near5 portion)) and (recogni\$5 or filter\$5 or detect\$5 or stop\$4 or identif\$6 or determin\$5) near5 (similar or "same" or resembl\$5 or match\$5) near3 (pattern or signature or message or mail or words or code)) and hash\$5 near5 (mail or e?mail or electronic adj1 mail or email or message or portion or code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 22:31
-	192	(((portion or portions or parts or extractions or division) near5 (mail or e?mail or electronic adj1 mail or email or message)) and (generat\$5 or creat\$5) near5 (portion or portions or parts or extractions) and 709/206.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 22:30

-	26	((portion or portions or parts or extractions or division) near5 (mail or e?mail or electronic adj1 mail or email or message)) and (generat\$5 or creat\$5) near5 (portion or portions or parts or extractions) and 709/206.ccls.) and (recogni\$5 or filter\$5 or detect\$5 or stop\$4 or identif\$6 or determin\$5) near5 (similar or "same" or resembl\$5 or match\$5 or redund\$3 or repeat\$5) near3 (pattern or signature or message or mail or words or code or email or text\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/29 17:31
-	6522	((portion or portions or parts or extractions or division) near5 (mail or e?mail or electronic adj1 mail or email or message)) and (generat\$5 or creat\$5) near5 (portion or portions or parts or extractions)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 22:36
-	585	((portion or portions or parts or extractions or division) near5 (mail or e?mail or electronic adj1 mail or email or message)) and (generat\$5 or creat\$5) near5 (portion or portions or parts or extractions)) and (recogni\$5 or filter\$5 or detect\$5 or stop\$4 or identif\$6 or determin\$5) near5 (similar or "same" or resembl\$5 or match\$5) near3 (pattern or signature or message or mail or words or code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 13:51
-	74	((portion or portions or parts or extractions or division) near5 (mail or e?mail or electronic adj1 mail or email or message)) and (generat\$5 or creat\$5) near5 (portion or portions or parts or extractions)) and (recogni\$5 or filter\$5 or detect\$5 or stop\$4 or identif\$6 or determin\$5) near5 (similar or "same" or resembl\$5 or match\$5) near3 (pattern or signature or message or mail or words or code)) and hash\$5 near5 (mail or e?mail or electronic adj1 mail or email or message or portion or code or parts or extractions or text\$5 or body)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 22:32
-	3	((portion or portions or parts or extractions or division) near5 (mail or e?mail or electronic adj1 mail or email or message)) and (generat\$5 or creat\$5) near5 (portion or portions or parts or extractions)) and (recogni\$5 or filter\$5 or detect\$5 or stop\$4 or identif\$6 or determin\$5) near5 (similar or "same" or resembl\$5 or match\$5) near3 (pattern or signature or message or mail or words or code)) and hash\$5 near5 (mail or e?mail or electronic adj1 mail or email or message or portion or code or parts or extractions or text\$5 or body)) and (second or multiple or plurality or another) near3 ((portion or portions or parts or extractions or division) near5 (mail or e?mail or electronic adj1 mail or email or message)) and (generat\$5 or creat\$5) near5 (portion or portions or parts or extractions) near3 (second or multiple or plurality or another)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 22:38

-	9	((portion or portions or parts or extractions or division) near5 (mail or e?mail or electronic adj1 mail or email or message)) and (generat\$5 or creat\$5) near5 (portion or portions or parts or extractions) and 709/206.ccls.) and (recogni\$5 or filter\$5 or detect\$5 or stop\$4 or identif\$6 or determin\$5) near5 (similar or "same" or resembl\$5 or match\$5 or redund\$3 or repeat\$5) near3 (pattern or signature or message or mail or words or code or email or text\$5) and (exceed\$5 or thresh\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/29 19:41
-	0	((portion or portions or parts or extractions or division) near5 (mail or e?mail or electronic adj1 mail or email or message)) and (generat\$5 or creat\$5) near5 (portion or portions or parts or extractions) and 709/206.ccls.) and (recogni\$5 or filter\$5 or detect\$5 or stop\$4 or identif\$6 or determin\$5) near5 (similar or "same" or resembl\$5 or match\$5 or redund\$3 or repeat\$5) near3 (pattern or signature or message or mail or words or code or email or text\$5) and (hyhpertext	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/29 19:23
-	5	((portion or portions or parts or extractions or division) near5 (mail or e?mail or electronic adj1 mail or email or message)) and (generat\$5 or creat\$5) near5 (portion or portions or parts or extractions) and 709/206.ccls.) and (recogni\$5 or filter\$5 or detect\$5 or stop\$4 or identif\$6 or determin\$5) near5 (similar or "same" or resembl\$5 or match\$5 or redund\$3 or repeat\$5) near3 (pattern or signature or message or mail or words or code or email or text\$5) and hypertext	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/29 19:23
-	2	("6594786").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/29 19:42
-	585	((portion or portions or parts or extractions or division) near5 (mail or e?mail or electronic adj1 mail or email or message)) and (generat\$5 or creat\$5) near5 (portion or portions or parts or extractions)) and (recogni\$5 or filter\$5 or detect\$5 or stop\$4 or identif\$6 or determin\$5) near5 (similar or "same" or resembl\$5 or match\$5) near3 (pattern or signature or message or mail or words or code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 15:44
-	9	((portion or portions or parts or extractions or division) near5 (mail or e?mail or electronic adj1 mail or email or message)) and (generat\$5 or creat\$5) near5 (portion or portions or parts or extractions)) and (recogni\$5 or filter\$5 or detect\$5 or stop\$4 or identif\$6 or determin\$5) near5 (similar or "same" or resembl\$5 or match\$5) near3 (pattern or signature or message or mail or words or code)) and (portion or portions or parts or extractions or division) near5 (mail or e?mail or electronic adj1 mail or email or message) with equal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 14:04

-	99	(((portion or portions or parts or extractions or division) near5 (mail or e?mail or electronic adj1 mail or email or message)) and (generat\$5 or creat\$5) near5 (portion or portions or parts or extractions)) and (recogni\$5 or filter\$5 or detect\$5 or stop\$4 or identif\$6 or determin\$5) near5 (similar or "same" or resembl\$5 or match\$5) near3 (pattern or signature or message or mail or words or code)) and (portion or portions or parts or extractions or division) near5 (mail or e?mail or electronic adj1 mail or email or message) with (select\$4 or locate or locating or extracting)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 14:06
-	2	(((portion or portions or parts or extractions or division) near5 (mail or e?mail or electronic adj1 mail or email or message)) and (generat\$5 or creat\$5) near5 (portion or portions or parts or extractions)) and (recogni\$5 or filter\$5 or detect\$5 or stop\$4 or identif\$6 or determin\$5) near5 (similar or "same" or resembl\$5 or match\$5) near3 (pattern or signature or message or mail or words or code)) and (portion or portions or parts or extractions or division) near5 (mail or e?mail or electronic adj1 mail or email or message) with (select\$4 or locate or locating or extracting)) and (portion or portions or parts or extractions or division) near5 (mail or e?mail or electronic adj1 mail or email or message) with ((thresh\$5 or count) near5 (predetermin\$3 or exceed or reach))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 14:26
-	2	((((portion or portions or parts or extractions or division) near5 (mail or e?mail or electronic adj1 mail or email or message)) and (generat\$5 or creat\$5) near5 (portion or portions or parts or extractions)) and (recogni\$5 or filter\$5 or detect\$5 or stop\$4 or identif\$6 or determin\$5) near5 (similar or "same" or resembl\$5 or match\$5) near3 (pattern or signature or message or mail or words or code)) and (portion or portions or parts or extractions or division) near5 (mail or e?mail or electronic adj1 mail or email or message) with (select\$4 or locate or locating or extracting)) and (portion or portions or parts or extractions or division) near5 (mail or e?mail or electronic adj1 mail or email or message) with ((thresh\$5 or count) near5 (predetermin\$3 or exceed or reach))) and (portion or portions or parts or extractions or division) near5 (mail or e?mail or electronic adj1 mail or email or message) with (generat\$5 or creat\$5) near5 (code or identif\$8 or hash\$5 or algorithm\$5 or number or smal\$3 or equal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 14:26

-	19	(((portion or portions or parts or extractions or division) near5 (mail or e?mail or electronic adj1 mail or email or message)) and (generat\$5 or creat\$5) near5 (portion or portions or parts or extractions)) and (recogni\$5 or filter\$5 or detect\$5 or stop\$4 or identif\$6 or determin\$5) near5 (similar or "same" or resembl\$5 or match\$5) near3 (pattern or signature or message or mail or words or code)) and (portion or portions or parts or extractions or division) near5 (mail or e?mail or electronic adj1 mail or email or message) with (select\$4 or locate or locating or extracting)) and (portion or portions or parts or extractions or division) near5 (mail or e?mail or electronic adj1 mail or email or message) with (generat\$5 or creat\$5) near5 (code or identif\$8 or hash\$5 or algorith\$5 or number or smal\$3 or equal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 15:53
-	6	(((portion or portions or parts or extractions or division) near5 (mail or e?mail or electronic adj1 mail or email or message)) and (generat\$5 or creat\$5) near5 (portion or portions or parts or extractions)) and (recogni\$5 or filter\$5 or detect\$5 or stop\$4 or identif\$6 or determin\$5) near5 (similar or "same" or resembl\$5 or match\$5) near3 (pattern or signature or message or mail or words or code)) and (portion or portions or parts or extractions or division) near5 (mail or e?mail or electronic adj1 mail or email or message) with (select\$4 or locate or locating or extracting)) and (portion or portions or parts or extractions or division) near5 (mail or e?mail or electronic adj1 mail or email or message) with (generat\$5 or creat\$5) near5 (code or identif\$8 or hash\$5 or algorith\$5 or number or smal\$3 or equal)) and (portion or portions or parts or extractions or division) near5 (mail or e?mail or electronic adj1 mail or email or message) and ((thresh\$5 or count) near5 (predetermin\$3 or exceed or reach))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 15:44
-	3668	(process\$5 or select\$4 or locate or locating or extracting) near5 (portion or portions or parts or extractions or division or selection) near5 (mail or e?mail or electronic adj1 mail or email or message) with (process\$5 or select\$4 or locate or locating or extracting) and (generat\$5 or creat\$5 or mak\$3 or establish\$5) near5 (code or identif\$8 or hash\$5 or algorith\$5 or number or smal\$3 or equal or represent\$5 or sampl\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 17:27

-	801	((process\$5 or select\$4 or locate or locating or extracting) near5 (portion or portions or parts or extractions or division or selection) near5 (mail or e?mail or electronic adj1 mail or email or message) with (process\$5 or select\$4 or locate or locating or extracting) and (generat\$5 or creat\$5 or mak\$3 or establish\$5) near5 (code or identif\$8 or hash\$5 or algorithm\$5 or number or smal\$3 or equal or represent\$5 or sampl\$5)) and (portion or portions or parts or extractions or division) near5 (mail or e?mail or electronic adj1 mail or email or message) and (thresh\$5 or count or predetermin\$4) near5 (predetermin\$3 or exceed or reach)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 17:24
-	749	((process\$5 or select\$4 or locate or locating or extracting) near5 (portion or portions or parts or extractions or division or selection) near5 (mail or e?mail or electronic adj1 mail or email or message) with (process\$5 or select\$4 or locate or locating or extracting) and (generat\$5 or creat\$5 or mak\$3 or establish\$5) near5 (code or identif\$8 or hash\$5 or algorithm\$5 or number or smal\$3 or equal or represent\$5 or sampl\$5)) and (portion or portions or parts or extractions or division) near5 (mail or e?mail or electronic adj1 mail or email or message) and (thresh\$5 or count or predetermin\$4) near5 (predetermin\$3 or exceed or reach)) and (generat\$5 or creat\$5 or mak\$3 or establish\$5) near5 (code or identif\$8 or hash\$5 or algorithm\$5 or number or smal\$3 or equal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 17:35
-	6761	(process\$5 or select\$4 or locate or locating or extracting) near5 (portion or portions or parts or extractions or division or selection) near5 (mail or e?mail or electronic adj1 mail or email or message) with (process\$5 or select\$4 or locate or locating or extracting) and (generat\$5 or creat\$5 or mak\$3 or establish\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 17:27
-	3668	((process\$5 or select\$4 or locate or locating or extracting) near5 (portion or portions or parts or extractions or division or selection) near5 (mail or e?mail or electronic adj1 mail or email or message) with (process\$5 or select\$4 or locate or locating or extracting) and (generat\$5 or creat\$5 or mak\$3 or establish\$5)) and (generat\$5 or creat\$5 or mak\$3 or establish\$5) near5 (code or identif\$8 or hash\$5 or algorithm\$5 or number or smal\$3 or equal or represent\$5 or sampl\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 17:30

-	801	(((process\$5 or select\$4 or locate or locating or extracting) near5 (portion or portions or parts or extractions or division or selection) near5 (mail or e?mail or electronic adj1 mail or email or message) with (process\$5 or select\$4 or locate or locating or extracting) and (generat\$5 or creat\$5 or mak\$3 or establish\$5)) and (generat\$5 or creat\$5 or mak\$3 or establish\$5) near5 (code or identif\$8 or hash\$5 or algorith\$5 or number or smal\$3 or equal or represent\$5 or sampl\$5)) and (portion or portions or parts or extractions or division) near5 (mail or e?mail or electronic adj1 mail or email or message) and (thresh\$5 or count or predetermin\$4) near5 (predetermin\$3 or exceed or reach)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 17:30
-	749	(((process\$5 or select\$4 or locate or locating or extracting) near5 (portion or portions or parts or extractions or division or selection) near5 (mail or e?mail or electronic adj1 mail or email or message) with (process\$5 or select\$4 or locate or locating or extracting) and (generat\$5 or creat\$5 or mak\$3 or establish\$5)) and (generat\$5 or creat\$5 or mak\$3 or establish\$5) near5 (code or identif\$8 or hash\$5 or algorith\$5 or number or smal\$3 or equal or represent\$5 or sampl\$5)) and (portion or portions or parts or extractions or division) near5 (mail or e?mail or electronic adj1 mail or email or message) and (thresh\$5 or count or predetermin\$4) near5 (predetermin\$3 or exceed or reach)) and (generat\$5 or creat\$5 or mak\$3 or establish\$5) near5 (code or identif\$8 or hash\$5 or algorith\$5 or number or smal\$3 or equal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 17:31

-	63	((((process\$5 or select\$4 or locate or locating or extracting) near5 (portion or portions or parts or extractions or division or selection) near5 (mail or e?mail or electronic adj1 mail or email or message) with (process\$5 or select\$4 or locate or locating or extracting) and (generat\$5 or creat\$5 or mak\$3 or establish\$5)) and (generat\$5 or creat\$5 or mak\$3 or establish\$5) near5 (code or identif\$8 or hash\$5 or algorith\$5 or number or smal\$3 or equal or represent\$5 or sampl\$5)) and (portion or portions or parts or extractions or division) near5 (mail or e?mail or electronic adj1 mail or email or message) and (thresh\$5 or count or predetermin\$4) near5 (predetermin\$3 or exceed or reach)) and (generat\$5 or creat\$5 or mak\$3 or establish\$5) near5 (code or identif\$8 or hash\$5 or algorith\$5 or number or smal\$3 or equal)) and (process\$5 or select\$4 or locate or locating or extracting or search\$3 or recogni\$5 or filter\$5 or detect\$5 or stop\$4 or identif\$6 or determin\$5) near5 (similar or "same" or match\$5 or code or identif\$6) near3 (pattern or signature or message or mail or words or code or email or electronic or exempl\$5) same (thresh\$5 or count or predetermin\$4) near5 (predetermin\$3 or exceed or reach)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 17:42
-	2	("6317786").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 13:30
-	2	("20020083217").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 13:54
-	2	"6594786"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 13:55

L Number	Hits	Search Text	DB	Time stamp
8	25	((email or e?mail or electronic near1 mail) near5 non?text\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/03 18:59
9	2	((email or e?mail or electronic near1 mail) near5 non?text\$5) same (html or hypertext\$3 or markup)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/03 18:55
10	1	((email or e?mail or electronic near1 mail) near5 non?text\$5) and (html or hypertext\$3 or markup) near5 non?text\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/03 18:58
11	1	((email or e?mail or electronic near1 mail) near5 non?text\$5) and (html or hypertext\$3 or markup) with non?text\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/03 18:59
12	31	(remov\$5 or extract\$5 or pars\$5 or scan\$5) near6 (email or e?mail or electronic near1 mail) near5 (non?text\$5 or html or hypertext\$3 or markup)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/03 20:25
13	6	((remov\$5 or extract\$5 or pars\$5 or scan\$5) near6 (email or e?mail or electronic near1 mail) near5 (non?text\$5 or html or hypertext\$3 or markup)) and location near6 (email or e?mail or electronic near1 mail or message) near5 (portion or non?text\$5 or html or hypertext\$3 or markup)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/03 19:33
14	7	((remov\$5 or extract\$5 or pars\$5 or scan\$5) near6 (email or e?mail or electronic near1 mail) near5 (non?text\$5 or html or hypertext\$3 or markup)) and location with (email or e?mail or electronic near1 mail or message) near5 (portion or non?text\$5 or html or hypertext\$3 or markup or different or var\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/03 19:39
15	12	((remov\$5 or extract\$5 or pars\$5 or scan\$5) near6 (email or e?mail or electronic near1 mail) near5 (non?text\$5 or html or hypertext\$3 or markup)) and locat\$5 with (email or e?mail or electronic near1 mail or message or portion or non?text\$5 or html or hypertext\$3 or markup) near5 (different or var\$5 or locations or body)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/03 19:45
16	17	((remov\$5 or extract\$5 or pars\$5 or scan\$5) near6 (email or e?mail or electronic near1 mail) near5 (non?text\$5 or html or hypertext\$3 or markup)) and (embed\$5 or locat\$5 or different) with (email or e?mail or electronic near1 mail or message or portion or non?text\$5 or html or hypertext\$3 or markup) near5 (different or var\$5 or locations or body)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/03 19:50
17	11	non?text\$5 with (email or e?mail or electronic near1 mail or message) with (html or hypertext\$3 or markup or embed\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/03 19:51
18	152	((email or e?mail or electronic near1 mail or message) with (non?text\$5)).clm	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/03 20:26
20	497	((email or e?mail or electronic near1 mail or message) with (html or hypertext\$3 or markup)).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/03 20:51

21	0	((email or e?mail or electronic near1 mail or message) with (non?text\$5)).clm.) and ((email or e?mail or electronic near1 mail or message) with (html or hypertext\$3 or markup)).clm.)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/03 21:25
19	13	((email or e?mail or electronic near1 mail or message) with (non?text\$5)).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/03 20:48
22	0	((email or e?mail or electronic near1 mail or message) with (non?text\$5)).clm.) and ((email or e?mail or electronic near1 mail or message) with (html or hypertext\$3 or markup)) with non?text\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/03 20:52
23	1	((email or e?mail or electronic near1 mail or message) with (non?text\$5)).clm.) and ((email or e?mail or electronic near1 mail or message) with (html or hypertext\$3 or markup)) and non?text\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/03 20:52
24	4	((email or e?mail or electronic near1 mail or message) with (non?text\$5)).clm) and (((email or e?mail or electronic near1 mail or message) with (html or hypertext\$3 or markup)).clm.)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/03 21:25

-	292	((generat\$5 or creat\$5) with portion with code same (text or message or information or data)) or ((generat\$5 or creat\$5) with portion with code same (email or e?mail or (electronic\$3 near2 (mail or text or message or file))))) and (transmi\$5 or send\$3 or reciev\$3 or retriev\$3 or transfer\$5 or download\$5) with (wireless or pda or palm or handheld or thin)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/31 20:23
-	30	((generat\$5 or creat\$5) with portion with code same (text or message or information or data)) or ((generat\$5 or creat\$5) with portion with code same (email or e?mail or (electronic\$3 near2 (mail or text or message or file))))) and (transmi\$5 or send\$3 or reciev\$3 or retriev\$3 or transfer\$5 or download\$5) with (wireless or pda or palm or handheld or thin)) and (extract\$5 or remov\$3) with (text or messag\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/31 20:07
-	35	((generat\$5 or creat\$5) with portion with code same (text or message or information or data)) or ((generat\$5 or creat\$5) with portion with code same (email or e?mail or (electronic\$3 near2 (mail or text or message or file))))) and (transmi\$5 or send\$3 or reciev\$3 or retriev\$3 or transfer\$5 or download\$5) with (wireless or pda or palm or handheld or thin)) and (extract\$5 or remov\$3) with (text\$3 or messag\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/31 20:07
-	1256	(transmi\$5 or send\$3 or reciev\$3 or retriev\$3 or transfer\$5 or download\$5) with (wireless or pda or palm or handheld or thin) with (note or prescrib\$6 or exercise or ((instruction or note or writ\$5) near3 (medical or doctor or therapist or nurse)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/31 20:30
-	8	((transmi\$5 or send\$3 or reciev\$3 or retriev\$3 or transfer\$5 or download\$5) with (wireless or pda or palm or handheld or thin) with (note or prescrib\$6 or exercise or ((instruction or note or writ\$5) near3 (medical or doctor or therapist or nurse)))) and (transmi\$5 or send\$3 or reciev\$3 or retriev\$3 or transfer\$5 or download\$5) with (wireless or pda or palm or handheld or thin) with ((exercise or instruction or note or writ\$5) near3 (medical or doctor or therapist or nurse))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/31 20:33
-	261	((generat\$5 or creat\$5) with portion with code same (text or message or information or data)) or ((generat\$5 or creat\$5) with portion with code same (email or e?mail or (electronic\$3 near2 (mail or text or message or file))))) and (compres\$5 or compact\$3 or small\$5) with portion with (code or text or messag\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/31 20:51
-	60	((generat\$5 or creat\$5) with portion with code same (text or message or information or data)) or ((generat\$5 or creat\$5) with portion with code same (email or e?mail or (electronic\$3 near2 (mail or text or message or file))))) and (compres\$5 or compact\$3 or small\$5) with portion with (code or text or messag\$5) same (first same second)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/11 19:47

-	795	"60" and (stor\$4 or sav\$3) with portion with (code or text or messag\$5) same (first same second)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/31 20:40
-	31	((((generat\$5 or creat\$5) with portion with code same (text or message or information or data)) or ((generat\$5 or creat\$5) with portion with code same (email or e?mail or (electronic\$3 near2 (mail or text or message or file))))) and (compres\$5 or compact\$3 or small\$5) with portion with (code or text or messag\$5) same (first same second)) and (stor\$4 or sav\$3) with portion with (code or text or messag\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/20 14:35
-	25	((((generat\$5 or creat\$5) with portion with code same (text or message or information or data)) or ((generat\$5 or creat\$5) with portion with code same (email or e?mail or (electronic\$3 near2 (mail or text or message or file))))) and (compres\$5 or compact\$3 or small\$5) with portion with (code or text or messag\$5) same (first same second)) and (stor\$4 or sav\$3) with portion with (code or text or messag\$5) same (first same second)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/31 20:53
-	263	((((generat\$5 or creat\$5) with portion with code same (text or message or information or data)) or ((generat\$5 or creat\$5) with portion with code same (email or e?mail or (electronic\$3 near2 (mail or text or message or file))))) and (compres\$5 or compact\$3 or small\$5) with portion with (code or text or messag\$5 or email or e?mail or electronic\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/31 20:51
-	232	((((generat\$5 or creat\$5) with portion with code same (text or message or information or data)) or ((generat\$5 or creat\$5) with portion with code same (email or e?mail or (electronic\$3 near2 (mail or text or message or file))))) and (compres\$5 or compact\$3 or small\$5) with portion with (code or text or messag\$5 or email or e?mail or electronic\$3)) and (first same second)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/31 20:52
-	88	(((((generat\$5 or creat\$5) with portion with code same (text or message or information or data)) or ((generat\$5 or creat\$5) with portion with code same (email or e?mail or (electronic\$3 near2 (mail or text or message or file))))) and (compres\$5 or compact\$3 or small\$5) with portion with (code or text or messag\$5 or email or e?mail or electronic\$3)) and (first same second)) and (stor\$4 or sav\$3) with (first same second) with (code or portion or compress\$5 or compact\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/01 11:31

-	88	((((generat\$5 or creat\$5) with portion with code same (text or message or information or data)) or ((generat\$5 or creat\$5) with portion with code same (email or e?mail or (electronic\$3 near2 (mail or text or message or file))))) and (compres\$5 or compact\$3 or small\$5) with portion with (code or text or messag\$5 or email or e?mail or electronic\$3)) and (first same second)) and (stor\$4 or sav\$3) with (first same second) with (code or portion or compress\$5 or compact\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/01 11:45
-	16	((((((generat\$5 or creat\$5) with portion with code same (text or message or information or data)) or ((generat\$5 or creat\$5) with portion with code same (email or e?mail or (electronic\$3 near2 (mail or text or message or file))))) and (compres\$5 or compact\$3 or small\$5) with portion with (code or text or messag\$5 or email or e?mail or electronic\$3)) and (first same second)) and (stor\$4 or sav\$3) with (first same second) with (code or portion or compress\$5 or compact\$5)) and (email or e?mail or (electronic\$3 near2 (mail or text or message or file)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/01 13:45
-	99	((((((generat\$5 or creat\$5) with (portion or pattern or signature) with code same (text or message or information or data)) or ((generat\$5 or creat\$5) with portion with code same (email or e?mail or (electronic\$3 near2 (mail or text or message or file))))) and (compres\$5 or compact\$3 or small\$5) with portion with (code or text or messag\$5 or email or e?mail or electronic\$3)) and (first same second)) and (stor\$4 or sav\$3) with (first same second) with (code or portion or compress\$5 or compact\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/01 13:25
-	99	((((((generat\$5 or creat\$5) with (portion or pattern or signature) with code same (text or message or information or data)) or ((generat\$5 or creat\$5) with portion with code same (email or e?mail or (electronic\$3 near2 (mail or text or message or file))))) and (compres\$5 or compact\$3 or small\$5) with portion with (code or text or messag\$5 or email or e?mail or electronic\$3)) and (first same second)) and (stor\$4 or sav\$3) with (first same second) with (code or portion or compress\$5 or compact\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/01 13:31
-	16	((((((generat\$5 or creat\$5) with (portion or pattern or signature) with code same (text or message or information or data)) or ((generat\$5 or creat\$5) with portion with code same (email or e?mail or (electronic\$3 near2 (mail or text or message or file))))) and (compres\$5 or compact\$3 or small\$5) with portion with (code or text or messag\$5 or email or e?mail or electronic\$3)) and (first same second)) and (stor\$4 or sav\$3) with (first same second) with (code or portion or compress\$5 or compact\$5)) and (email or e?mail or (electronic\$3 near2 (mail or text or message or file)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/01 13:46

-	1189	line near1 protocol	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/04 12:29
-	26	((line near1 protocol) same (dsl or adsl or sdsl)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/04 12:33
-	1	((line near1 protocol) same idle near2 pattern	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/04 12:32
-	5	((line near1 protocol) and idle near2 pattern	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/04 12:32
-	83	((line near1 protocol) and (dsl or adsl or sdsl)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/04 12:33
-	2	((((line near1 protocol) and idle near2 pattern) and ((line near1 protocol) and (dsl or adsl or sdsl))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/04 12:33
-	522795	((locat\$5 or select\$5 or find\$3) near5 portion (message or e?mail or email or electronic\$3) same (generat\$5 or creat\$5) same (code or pattern or exemplar or fingerprint or signature)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 20:17
-	557353	((locat\$5 or select\$5 or find\$3 or extract\$5) near5 portion (message or e?mail or email or electronic\$3) same (generat\$5 or creat\$5) same (code or pattern or exemplar or fingerprint or signature)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 20:41
-	3388	((((generat\$5 or creat\$5) with portion with code same (text or message or information or data)) or ((generat\$5 or creat\$5) with portion with code same (email or e?mail or (electronic\$3 near2 (mail or text or message or file))))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/11 19:05
-	1922	((((locat\$5 or select\$5 or find\$3 or extract\$5) near5 portion (message or e?mail or email or electronic\$3) same (generat\$5 or creat\$5) same (code or pattern or exemplar or fingerprint or signature)) and (((generat\$5 or creat\$5) with portion with code same (text or message or information or data)) or ((generat\$5 or creat\$5) with portion with code same (email or e?mail or (electronic\$3 near2 (mail or text or message or file)))))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/11 19:02

-	298	(((locat\$5 or select\$5 or find\$3 or extract\$5) near5 portion (message or e?mail or email or electronic\$3) same (generat\$5 or creat\$5) same (code or pattern or exemplar or fingerprint or signature)) and (((generat\$5 or creat\$5) with portion with code same (text or message or information or data)) or ((generat\$5 or creat\$5) with portion with code same (email or e?mail or (electronic\$3 near2 (mail or text or message or file)))))) and (extract\$5 or remov\$5) with (non?text\$5 or graph\$5 or imag\$5 or gif or attach\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/11 19:06
-	421	(((locat\$5 or select\$5 or find\$3 or extract\$5) near5 portion (message or e?mail or email or electronic\$3) same (generat\$5 or creat\$5) same (code or pattern or exemplar or fingerprint or signature)) and (((generat\$5 or creat\$5) with portion with code same (text or message or information or data)) or ((generat\$5 or creat\$5) with portion with code same (email or e?mail or (electronic\$3 near2 (mail or text or message or file)))))) and (extract\$5 or remov\$5) with (non?text\$5 or graph\$5 or imag\$5 or gif or attach\$7 or hyper?text\$5 or hyper?text\$5 or address or routing or applet or embed\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/11 20:15
-	30	(((locat\$5 or select\$5 or find\$3 or extract\$5) near5 portion (message or e?mail or email or electronic\$3) same (generat\$5 or creat\$5) same (code or pattern or exemplar or fingerprint or signature)) and (((generat\$5 or creat\$5) with portion with code same (text or message or information or data)) or ((generat\$5 or creat\$5) with portion with code same (email or e?mail or (electronic\$3 near2 (mail or text or message or file)))))) and (extract\$5 or remov\$5) with (non?text\$5 or graph\$5 or imag\$5 or gif or attach\$7 or hyper?text\$5 or hyper?text\$5 or address or routing or applet or embed\$5)) and (generat\$5 or creat\$5) same (code or pattern or exemplar or fingerprint or signature) same (hash\$5 or crc or checksum)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 19:38
-	421	(((locat\$5 or select\$5 or find\$3 or extract\$5) near5 portion (message or e?mail or email or electronic\$3) same (generat\$5 or creat\$5) same (code or pattern or exemplar or fingerprint or signature)) and (((generat\$5 or creat\$5) with portion with code same (text or message or information or data)) or ((generat\$5 or creat\$5) with portion with code same (email or e?mail or (electronic\$3 near2 (mail or text or message or file)))))) and (extract\$5 or remov\$5) with (non?text\$5 or graph\$5 or imag\$5 or gif or attach\$7 or hyper?text\$5 or hyper?text\$5 or address or routing or applet or embed\$5)) and (generat\$5 or creat\$5) same (hash\$5 or code or pattern or exemplar or fingerprint or signature)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 19:40

-	176	(((locat\$5 or select\$5 or find\$3 or extract\$5) near5 portion (message or e?mail or email or electronic\$3) same (generat\$5 or creat\$5) same (code or pattern or exemplar or fingerprint or signature)) and (((generat\$5 or creat\$5) with portion with code same (text or message or information or data)) or ((generat\$5 or creat\$5) with portion with code same (email or e?mail or (electronic\$3 near2 (mail or text or message or file))))) and (extract\$5 or remov\$5) with (non?text\$5 or graph\$5 or imag\$5 or gif or attach\$7 or hyper?text\$5 or hyper?text\$5 or address or routing or applet or embed\$5)) and (generat\$5 or creat\$5) same (hash\$5 or code or pattern or exemplar or fingerprint or signature) same (smaller or less)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 19:40
-	171	(((locat\$5 or select\$5 or find\$3 or extract\$5) near5 portion (message or e?mail or email or electronic\$3) same (generat\$5 or creat\$5) same (code or pattern or exemplar or fingerprint or signature)) and (((generat\$5 or creat\$5) with portion with code same (text or message or information or data)) or ((generat\$5 or creat\$5) with portion with code same (email or e?mail or (electronic\$3 near2 (mail or text or message or file))))) and (extract\$5 or remov\$5) with (non?text\$5 or graph\$5 or imag\$5 or gif or attach\$7 or hyper?text\$5 or hyper?text\$5 or address or routing or applet or embed\$5)) and (generat\$5 or creat\$5) same (hash\$5 or code or pattern or exemplar or fingerprint or signature) same (smaller or less)) and (stor\$5 or sav\$5 or recor\$5) with (hash\$5 or code or pattern or exemplar or fingerprint or signature)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 20:49
-	88	(((locat\$5 or select\$5 or find\$3 or extract\$5) near5 portion (message or e?mail or email or electronic\$3) same (generat\$5 or creat\$5) same (code or pattern or exemplar or fingerprint or signature)) and (((generat\$5 or creat\$5) with portion with code same (text or message or information or data)) or ((generat\$5 or creat\$5) with portion with code same (email or e?mail or (electronic\$3 near2 (mail or text or message or file))))) and (extract\$5 or remov\$5) with (non?text\$5 or graph\$5 or imag\$5 or gif or attach\$7 or hyper?text\$5 or hyper?text\$5 or address or routing or applet or embed\$5)) and (generat\$5 or creat\$5) same (hash\$5 or code or pattern or exemplar or fingerprint or signature) same (smaller or less)) and (stor\$5 or sav\$5 or recor\$5) with (hash\$5 or code or pattern or exemplar or fingerprint or signature)) and (locat\$5 or select\$5 or find\$3 or extract\$5) with (second or third or more or extra or further) with portion	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 19:46

-	72	((((locat\$5 or select\$5 or find\$3 or extract\$5) near5 portion (message or e?mail or email or electronic\$3) same (generat\$5 or creat\$5) same (code or pattern or exemplar or fingerprint or signature)) and (((generat\$5 or creat\$5) with portion with code same (text or message or information or data)) or ((generat\$5 or creat\$5) with portion with code same (email or e?mail or (electronic\$3 near2 (mail or text or message or file))))) and (extract\$5 or remov\$5) with (non?text\$5 or graph\$5 or imag\$5 or gif or attach\$7 or hyper?text\$5 or hyper?text\$5 or address or routing or applet or embed\$5)) and (generat\$5 or creat\$5) same (hash\$5 or code or pattern or exemplar or fingerprint or signature) same (smaller or less)) and (stor\$5 or sav\$5 or recor\$5) with (hash\$5 or code or pattern or exemplar or fingerprint or signature)) and (locat\$5 or select\$5 or find\$3 or extract\$5) with (second or third) with portion	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 20:48
-	10	((((((locat\$5 or select\$5 or find\$3 or extract\$5) near5 portion (message or e?mail or email or electronic\$3) same (generat\$5 or creat\$5) same (code or pattern or exemplar or fingerprint or signature)) and (((generat\$5 or creat\$5) with portion with code same (text or message or information or data)) or ((generat\$5 or creat\$5) with portion with code same (email or e?mail or (electronic\$3 near2 (mail or text or message or file))))) and (extract\$5 or remov\$5) with (non?text\$5 or graph\$5 or imag\$5 or gif or attach\$7 or hyper?text\$5 or hyper?text\$5 or address or routing or applet or embed\$5)) and (generat\$5 or creat\$5) same (hash\$5 or code or pattern or exemplar or fingerprint or signature) same (smaller or less)) and (stor\$5 or sav\$5 or recor\$5) with (hash\$5 or code or pattern or exemplar or fingerprint or signature)) and (locat\$5 or select\$5 or find\$3 or extract\$5) with (second or third) with portion) and @ad<20000801	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/11 20:22
-	457	(((locat\$5 or select\$5 or find\$3 or extract\$5) near5 portion (message or e?mail or email or electronic\$3) same (generat\$5 or creat\$5) same (code or pattern or exemplar or fingerprint or signature)) and (((generat\$5 or creat\$5) with portion with code same (text or message or information or data)) or ((generat\$5 or creat\$5) with portion with code same (email or e?mail or (electronic\$3 near2 (mail or text or message or file))))) and (extract\$5 or remov\$5) with (redundan\$5 or repeated or non?text\$5 or graph\$5 or imag\$5 or gif or attach\$7 or hyper?text\$5 or hyper?text\$5 or address or routing or applet or embed\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/11 20:16

-	235	(((locat\$5 or select\$5 or find\$3 or extract\$5) near5 portion (message or e?mail or email or electronic\$3) same (generat\$5 or creat\$5) same (code or pattern or exemplar or fingerprint or signature)) and (((generat\$5 or creat\$5) with portion with code same (text or message or information or data)) or ((generat\$5 or creat\$5) with portion with code same (email or e?mail or (electronic\$3 near2 (mail or text or message or file))))) and (extract\$5 or remov\$5) with (redundan\$5 or repeated or non?text\$5 or graph\$5 or imag\$5 or gif or attach\$7 or hyper?text\$5 or hyper?text\$5 or address or routing or applet or embed\$5)) and (detect\$5 or identif\$6 or determin\$5) with (unsolicited or spam or junk or bulk or unwanted or redundan\$5 or repeated or pattern or signature or exemplar or fingerprint or signature))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/11 20:47
-	133	(((locat\$5 or select\$5 or find\$3 or extract\$5) near5 portion (message or e?mail or email or electronic\$3) same (generat\$5 or creat\$5) same (code or pattern or exemplar or fingerprint or signature)) and (((generat\$5 or creat\$5) with portion with code same (text or message or information or data)) or ((generat\$5 or creat\$5) with portion with code same (email or e?mail or (electronic\$3 near2 (mail or text or message or file))))) and (extract\$5 or remov\$5) with (redundan\$5 or repeated or non?text\$5 or graph\$5 or imag\$5 or gif or attach\$7 or hyper?text\$5 or hyper?text\$5 or address or routing or applet or embed\$5)) and (detect\$5 or identif\$6 or determin\$5) with (unsolicited or spam or junk or bulk or unwanted or redundan\$5 or repeated or pattern or signature or exemplar or fingerprint or signature))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/11 20:22
-	21	and @ad<20000801 ((((locat\$5 or select\$5 or find\$3 or extract\$5) near5 portion (message or e?mail or email or electronic\$3) same (generat\$5 or creat\$5) same (code or pattern or exemplar or fingerprint or signature)) and (((generat\$5 or creat\$5) with portion with code same (text or message or information or data)) or ((generat\$5 or creat\$5) with portion with code same (email or e?mail or (electronic\$3 near2 (mail or text or message or file))))) and (extract\$5 or remov\$5) with (redundan\$5 or repeated or non?text\$5 or graph\$5 or imag\$5 or gif or attach\$7 or hyper?text\$5 or hyper?text\$5 or address or routing or applet or embed\$5)) and (detect\$5 or identif\$6 or determin\$5) with (unsolicited or spam or junk or bulk or unwanted or redundan\$5 or repeated or pattern or signature or exemplar or fingerprint or signature)) and @ad<20000801) and (locat\$5 or select\$5 or find\$3 or extract\$5) with (second or third) near3 portion	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 20:23

-	541820	(locat\$5 or select\$5 or find\$3 or extract\$5 or pars\$5) near5 portion (message or e?mail or email or electronic\$3 adj1 mail) same (generat\$5 or creat\$5) same (code or pattern or exemplar or fingerprint or signature)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 20:44
-	180	(locat\$5 or select\$5 or find\$3 or extract\$5 or pars\$5) near5 portion same (message or e?mail or email or electronic\$3 adj1 mail) same (generat\$5 or creat\$5) same (code or pattern or exemplar or fingerprint or signature)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 20:42
-	3765	(locat\$5 or select\$5 or find\$3 or extract\$5 or pars\$5) near5 portion same (message or e?mail or email or electronic\$3 adj1 mail)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 20:42
-	1274	((locat\$5 or select\$5 or find\$3 or extract\$5 or pars\$5) near5 portion same (message or e?mail or email or electronic\$3 adj1 mail)) and (generat\$5 or creat\$5) same (code or exemplar)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 20:45
-	1949766	((locat\$5 or select\$5 or find\$3 or extract\$5 or pars\$5) near5 portion same (message or e?mail or email or electronic\$3 adj1 mail)) and (generat\$5 or creat\$5) near3 (code or exemplar)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 20:45
-	536	((locat\$5 or select\$5 or find\$3 or extract\$5 or pars\$5) near5 portion same (message or e?mail or email or electronic\$3 adj1 mail)) and (generat\$5 or creat\$5) near3 (code or exemplar)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 20:46
-	647	((locat\$5 or select\$5 or find\$3 or extract\$5 or pars\$5) near5 portion same (message or e?mail or email or electronic\$3 adj1 mail)) and (generat\$5 or creat\$5) near3 (code or exemplar or hash\$5 or algorithm\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 20:46
-	248	((locat\$5 or select\$5 or find\$3 or extract\$5 or pars\$5) near5 portion same (message or e?mail or email or electronic\$3 adj1 mail)) and (generat\$5 or creat\$5) near3 (code or exemplar or hash\$5 or algorithm\$5)) and (detect\$5 or identif\$6 or determin\$5) with (unsolicited or spam or junk or bulk or unwanted or redundan\$5 or repeated or pattern or signature or exemplar or fingerprint or signature)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/11 20:47
-	121	((locat\$5 or select\$5 or find\$3 or extract\$5 or pars\$5) near5 portion same (message or e?mail or email or electronic\$3 adj1 mail)) and (generat\$5 or creat\$5) near3 (code or exemplar or hash\$5 or algorithm\$5)) and (detect\$5 or identif\$6 or determin\$5) with (unsolicited or spam or junk or bulk or unwanted or redundan\$5 or repeated or pattern or signature or exemplar or fingerprint or signature)) and (first or second or third or n) near3 portion	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 20:48

-	10	(((((locat\$5 or select\$5 or find\$3 or extract\$5 or pars\$5) near5 portion same (message or e?mail or email or electronic\$3 adj1 mail)) and (generat\$5 or creat\$5) near3 (code or exemplar or hash\$5 or algorith\$5)) and (detect\$5 or identif\$6 or determin\$5) with (unsolicited or spam or junk or bulk or unwanted or redundan\$5 or repeated or pattern or signature or exemplar or fingerprint or signature)) and (first or second or third or n) near3 portion) and (stor\$5 or sav\$5 or recor\$5) with portion) and smaller with portion	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 20:50
-	87	(((((locat\$5 or select\$5 or find\$3 or extract\$5 or pars\$5) near5 portion same (message or e?mail or email or electronic\$3 adj1 mail)) and (generat\$5 or creat\$5) near3 (code or exemplar or hash\$5 or algorith\$5)) and (detect\$5 or identif\$6 or determin\$5) with (unsolicited or spam or junk or bulk or unwanted or redundan\$5 or repeated or pattern or signature or exemplar or fingerprint or signature)) and (first or second or third or n) near3 portion) and (stor\$5 or sav\$5 or recor\$5) with portion	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 20:51
-	1609	709/206.ccls.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/20 14:34
-	69	((generat\$5 or creat\$5) with portion with (identif\$6 or code or signature)) same (email or e?mail or (electronic\$3 near2 (mail or text or message or file)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/20 21:21
-	19	709/206.ccls. and (((generat\$5 or creat\$5) with portion with (identif\$6 or code or signature)) same (email or e?mail or (electronic\$3 near2 (mail or text or message or file))))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/20 19:04
-	1	6460050.URPN.	USPAT	2003/09/20 15:12
-	18	("5465353" "5515513" "5619648" "5884033" "5999932" "6052709" "6094487" "6144934" "6167457" "6178417" "6189026" "6195698" "6199081" "6199102" "6249805" "6310966" "6321267" "6330590").PN.	USPAT	2003/09/20 15:12
-	2	("6460050").PN.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/20 21:19
-	2	("6330590").PN.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/20 21:19
-	69	((generat\$5 or creat\$5) with portion with (identif\$6 or code or signature)) same (email or e?mail or (electronic\$3 near2 (mail or text or message or file)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/20 21:22
-	14	((generat\$5 or creat\$5) with portion with (identif\$6 or code or signature)) same (email or e?mail or (electronic\$3 near2 (mail or text or message or file)))) and portion with (identif\$6 or code or signature) same (smaller or less or token\$5 or reduc\$5 or exempl\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/20 21:31

-	3961667	((unsolicited or spam or junk or bulk or unwanted) same (electronic adj mail or email or e?mail) same detect\$5 or filter\$5 or eliminat\$5 or stop\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/20 21:29
-	293	(unsolicited or spam or junk or bulk or unwanted) same (electronic adj mail or email or e?mail) same (detect\$5 or filter\$5 or eliminat\$5 or stop\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/20 21:29
-	449	(unsolicited or spam or junk or bulk or unwanted) same (electronic adj mail or email or e?mail) same (recogniz\$5 or detect\$5 or filter\$5 or eliminat\$5 or stop\$3 or identif\$6 or determin\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/20 21:30
-	7	((unsolicited or spam or junk or bulk or unwanted) same (electronic adj mail or email or e?mail) same (recogniz\$5 or detect\$5 or filter\$5 or eliminat\$5 or stop\$3 or identif\$6 or determin\$5)) and portion with (identif\$6 or code or signature) same (smaller or less or token\$5 or reduc\$5 or exempl\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/20 21:36
-	7	((unsolicited or spam or junk or bulk or unwanted) same (electronic adj mail or email or e?mail) same (recogniz\$5 or detect\$5 or filter\$5 or eliminat\$5 or stop\$3 or identif\$6 or determin\$5)) and (token\$5 or compres\$6 or shorten\$5 or small\$5) with portion with (messag\$5 or body or text\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/20 21:39
-	7	((unsolicited or spam or junk or bulk or unwanted) same (electronic adj mail or email or e?mail) same (recogniz\$5 or detect\$5 or filter\$5 or eliminat\$5 or stop\$3 or identif\$6 or determin\$5)) and (token\$5 or compres\$6 or shorten\$5 or small\$5) with portions with (messag\$5 or body or text\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/20 21:39
-	21	((unsolicited or spam or junk or bulk or unwanted) same (electronic adj mail or email or e?mail) same (recogniz\$5 or detect\$5 or filter\$5 or eliminat\$5 or stop\$3 or identif\$6 or determin\$5)) and (token\$5 or compres\$6 or shorten\$5 or small\$5 or cod\$5) with portion with (messag\$5 or body or text\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/20 21:40
-	143	((unsolicited or spam or junk or bulk or unwanted) same (electronic adj mail or email or e?mail) same (recogniz\$5 or detect\$5 or filter\$5 or eliminat\$5 or stop\$3 or identif\$6 or determin\$5)) and (token\$5 or compres\$6 or shorten\$5 or small\$5 or cod\$5) with (portion or cod\$5 or signature or pattern) with (messag\$5 or body or text\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/20 21:41
-	59	((unsolicited or spam or junk or bulk or unwanted) same (electronic adj mail or email or e?mail) same (recogniz\$5 or detect\$5 or filter\$5 or eliminat\$5 or stop\$3 or identif\$6 or determin\$5)) and (token\$5 or compres\$6 or shorten\$5 or small\$5 or cod\$5) with (portion or cod\$5 or signature or pattern) with (messag\$5 or body or text\$6)) and @ad<20000811	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/20 21:41

-	20	(((unsolicited or spam or junk or bulk or unwanted) same (electronic adj mail or email or e?mail) same (recogniz\$5 or detect\$5 or filter\$5 or eliminat\$5 or stop\$3 or identif\$6 or determin\$5)) and (token\$5 or compres\$6 or shorten\$5 or small\$5 or cod\$5) with (portion or cod\$5 or signature or pattern) with (messag\$5 or body or text\$6)) and @ad<20000811) and 709/206.ccls.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/20 21:42
-	3	("6560639").PN.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/21 16:36
-	0	6560639.URPN.	USPAT	2003/09/21 16:30
-	10	("5109404" "5163131" "5826031" "5870552" "6016344" "6026433" "6192382" "6209036" "6256712" "6311185").PN.	USPAT	2003/09/21 16:30
-	2	("6343291").PN.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/21 16:35
-	2	("6226648").PN.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/21 16:36

-	39	(locat\$3 near3 portion near5 (mail or e?mail or electronic)) and (generat\$5 or creat\$5) near5 code	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 17:50
-	147	(locat\$3 near3 portion near5 (mail or e?mail or electronic)) and (generat\$5 or creat\$5) near5 portion	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 18:00
-	1	((locat\$3 near3 portion near5 (mail or e?mail or electronic)) and (generat\$5 or creat\$5) near5 portion) and 709/206.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 17:57
-	2	(locat\$3 near3 portion near5 (mail or e?mail or electronic)) and 709/206.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 18:00
-	2389	portion near5 (mail or e?mail or electronic adj1 mail or email)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 18:09
-	266	(portion near5 (mail or e?mail or electronic adj1 mail or email)) and (generat\$5 or creat\$5) near5 portion	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 18:10
-	62	((portion near5 (mail or e?mail or electronic adj1 mail or email)) and (generat\$5 or creat\$5) near5 portion) and 709/206.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 18:10
-	32	(((portion near5 (mail or e?mail or electronic adj1 mail or email)) and (generat\$5 or creat\$5) near5 portion) and 709/206.ccls.) and (generat\$5 or creat\$5) near5 portion near5 (mail or e?mail or electronic adj1 mail or email)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 18:09
-	37	(((portion near5 (mail or e?mail or electronic adj1 mail or email)) and (generat\$5 or creat\$5) near5 portion) and 709/206.ccls.) and (generat\$5 or creat\$5) near5 portion near5 (message or mail or e?mail or electronic adj1 mail or email)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 18:09
-	15237	portion near5 (mail or e?mail or electronic adj1 mail or email or message)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 18:09
-	2142	(portion near5 (mail or e?mail or electronic adj1 mail or email or message)) and (generat\$5 or creat\$5) near5 portion	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 18:10
-	88	((portion near5 (mail or e?mail or electronic adj1 mail or email or message)) and (generat\$5 or creat\$5) near5 portion) and 709/206.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 19:19